

¿Qué producimos?

Consumidores

- Aspecto externo.
- Sabor.
- Ausencia de semillas.
- Color.
- Crocantez.
- Saludable.
- Respeto al medio ambiente.



RED GLOBE



CRIMSON



AUTUMN ROYAL



THOMPSON



SUPERIOR



FLAME

Comercializadores


- Suministro continuo.
- Producto homogéneo.
- Calidad (color, forma, calibre).
- Aptitud para transporte y conservación.

Productores

- Variedades productivas.
- Bajos costes.
- Poco exigentes en mano de obra.
- Resistentes/tolerantes. plagas/enfermedades.
- Rajado, cuaje, etc.

Calendario de producción a nivel mundial


¿Cuándo producimos?




Fuente: FAOSTAT.

Evolución de precios y producción en España

¿Cuándo producimos?



Fuente: Francisca Alonso (Mercabarna).



Fuente: Oscar Salgado

Objetivos de los programas de mejora

Tipo de uva

- Apirenas
- Bayas grandes
- Rojas, blancas y negras
- Crujientes
- Diferentes sabores (moscatel, neutro, fresa, mango...)
- Diferentes formas (esféricas, ovaladas, cilíndricas,...)

Época de maduración

- Todas
- Buen comportamiento postcosecha

Manejo

- Productivas
- Bajas necesidades de mano de obra
- Poco exigentes en giberelinas
- Resistentes a plagas y enfermedades
- Sin problemas de rajado, color o desgrane

Variedades apirenas libres

Superior seedless

Flame seedless

Crimson seedless

Autumn Royal

Autumn seedless

SUGRAONE

Fecha de recolección: julio (precoz).

Características del racimo: muy vistosos de tamaño medio a grande (550-700g), de forma cónica y compacidad media.

Bayas: Bayas grandes ($\phi > 18$ mm) de forma elíptico-ovoide y color verde-amarillo. Pulpa crujiente y sabor neutro.

Vigor: muy vigorosa

Productividad: media, por su baja fertilidad (0,5).

Técnicas de cultivo: Requiere un nivel de carga alto y podas largas (varas de 12 yemas o más) debido a su baja fertilidad. Para mantener equilibrio entre crecimiento vegetativo y reproductivo y mejorar la fertilidad para la próxima campaña hay que destallar eliminando los brotes que no portan racimo de la zona media y terminal de la vara. Al final de floración se puede aplicar un tratamiento con ácido giberélico para reducir grano chico (granillo) a dosis muy baja. Se recolecta con un mínimo de 16º Brix. Con técnicas de cultivo semiforzado o forzado con plástico se puede adelantar la cosecha entre dos y cuatro semanas.



FLAME SEEDLESS

Fecha de recolección: julio (precoz)

Características del racimo: tamaño medio a grande (550 a 700g), forma cónico-piramidal y compacidad media.

Bayas: tamaño pequeño-mediano, esféricas y de color rojo. Consistencia de la pulpa dura y sabor neutro, ligeramente aromático.

Vigor: vigorosa.

Productividad: muy productiva, con alta fertilidad.

Técnicas de cultivo: nivel de carga medio, con varas de 8-10 yemas. Se debe realizar aclareo de racimos para mejorar la calidad y el tamaño. En los pámpanos que presentan tres racimos, se elimina el tercer racimo, más pequeño y tardío. En los pámpanos con dos racimos, en la mitad se conservan y en la otra mitad se elimina el segundo, en función del vigor del pámpano y la calidad del racimo. Requiere tratamientos con ácido giberélico en floración para reducir el número de bayas por racimo, dos o tres pases a razón de 7-10 ppm. Tras el cuajado (tamaño guisante) también se realiza un tratamiento con ácido giberélico a razón de 30-40 ppm, que se repite a los siete días. Puede presentar problemas de falta de color en zonas cálidas, por lo que es conveniente ajustar la carga, practicar el deshojado en enero para facilitar la entrada de luz en bandas longitudinales y transversales, aplicar Etefón al inicio de enero (dosis autorizada), anillado en la base de las varas respetando los brotes que constituirán la madera de poda del año próximo. Se recomienda su recolección a partir de los 16 °Brix. El cultivo bajo plástico de esta variedad mejora considerablemente su precocidad.



AUTUMN ROYAL

Fecha de recolección: mediados de agosto (media-tardía).

Características del racimo: racimos grandes (0,5-1 kg), de forma cónica y de compacidad media- alta.

Bayas: de tamaño grande ($\phi < 22$ mm), de forma elíptica-ovoide, de color violeta-azulado casi negro, muy crujiente y sabor neutro.

Vigor: vigorosa.

Productividad: muy productiva con fertilidad basal elevada. Algunos años se observan bajas producciones.

Técnicas de cultivo: nivel de carga medio-alto con varas de 6-8 yemas. Algunos años puede presentar racimos compactos por lo que es aconsejable aplicar ácido giberélico en floración a dosis muy baja. También puede presentar rudimentos seminales consistentes, pero este problema se evita con el tratamiento de giberelinas en floración. No precisa de tratamientos para engorde de la baya. Salvo excesiva carga no presenta problemas de color. Sin embargo es propensa al desgrane y al rajado.



CRIMSON SEEDLESS

Periodo de recolección: finales de agosto (media-tardía).

Características del racimo: de tamaño medio-grande, de forma cónica y de compacidad media- alta.

Bayas: de tamaño medio a grande ($\varnothing > 18$), de forma elíptica-alargada, crujientes, de color rojo y sabor neutro.

Vigor: vigorosa.

Productividad: productiva con fertilidad media (0,7).

Técnicas de cultivo: nivel de carga medio-alto con varas de 8-12 yemas. Tiende a producir racimos muy compactos por lo que requiere tratamientos con ácido giberélico en floración uno o dos pases entre 0,5-1 ppm. También se puede aplicar ácido giberélico para engorde en tamaño guisante a razón de 5ppm, repitiendo a la semana. El anillado al tronco, realizado entre las dos aplicaciones de giberelinas para engorde, contribuye a aumentar el tamaño de la baya. El exceso de giberelinas puede reducir la fertilidad y por tanto la cosecha al siguiente año. Puede presentar problemas de falta de coloración en condiciones adversas (altas temperaturas y elevada producción). La aplicación de Etefón en el momento del envero, junto con el anillado en la base de las varas y el deshojado para favorecer la iluminación pueden mejorar la coloración de las bayas. Se recomienda recolectar a partir de 18º Brix.



AUTUMN SEEDLESS

Periodo de recolección: septiembre (media-tardía).

Características del racimo: de tamaño medio a grande (0.7-1.0 kg), alados y de compacidad baja-media.

Bayas: de tamaño medio ($\phi > 18$ mm), de forma elíptica alargada, firmes, crujientes y de color amarillo-verde que puede evolucionar a amarillo. Sabor neutro.

Vigor: vigorosa

Productividad: productiva con fertilidad media (0.7).

Técnicas de cultivo: nivel de carga medio con varas de 8-10 yemas. Es poco exigente en ácido giberélico, aunque se puede aplicar en floración para reducir el número de bayas por racimo entre 0.5-1 ppm y para engorde, realizando dos pases de 5 ppm en tamaño de guisante (4-4,5 mm) y a la semana, con lo que se incrementa notablemente el tamaño ($\phi > 20$ mm). Existe la posibilidad de alargar la conservación en la parra mediante embolsado de racimos, que además protege de la luz directa, que puede provocar manchas rosadas. Se recomienda recolectar a partir de 20 °Brix.



RED GLOBE

Periodo de recolección: julio-septiembre (media-tardía).

Características del racimo: de tamaño grande (1.0-1.2 kg), de compacidad media y cuneiforme

Bayas: con semilla de tamaño grande ($\phi > 25$ mm), de forma elíptica corta, pulpa carnosa de color rojo-violáceo y sabor afrutado agradable.

Vigor: vigorosa

Productividad: productiva con fertilidad alta I.F. (1.5).

Técnicas de cultivo: Admite poda corta y larga pero mejor mixta. No requiere ácido giberélico en floración, ni anillado. Se pueden aplicar giberelinas para engorde (5ppm) o citoquininas que además mejoran la consistencia. En algunos casos requiere poda de racimos, eliminando un hombro y despuntando y a veces poda interna si hay cuajado excesivo. Muy sensible al asurado, proteger racimos de la exposición directa al sol de cuajado a envero.



Panorama varietal: Variedades protegidas (no más material nuevo libre)

Abiertos

- No hay control sobre la superficie plantada
- Pago de royalties por planta

Semi-abiertos.

- Puede controlarse la superficie plantada
- Pago de royalties por planta
- Pago por superficie plantada o por producción
- Obligación de venta (condicional)

Clubes cerrados con firmas exportadoras

- Control de la superficie plantada
- Pago de royalties por planta
- Pago por superficie plantada o por producción
- Obligación de venta (condicional)
- Obligación de exportar por firmas del club



HISTORIA DEL PROGRAMA DE OBTENCIÓN DE VARIEDADES DE UVA DE MESA EN MURCIA

- **1991-2002: IMIDA: 2000 Híbridos anuales**
- **Variedades autóctonas x Seedless**

- **2003-2014: ITUM – IMIDA : 10.000 Híbridos anuales**
- **120.000 Híbridos producidos**
- **12 Variedades registradas**
- **2 Variedades de registro inminente**
- **6 híbridos, destacan para posible registro**

6 variedades en fase comercial
250 ha

GrapeAttraction 2014



Itumone

Período recolección: Final de julio - final de agosto

Diámetro bayas: 18 – 23 mm

Sabor: Neutro - ácido

Textura: Crujiente (18 - 22 N)

Productividad: Í.F. 1 – 1,6, Racimos de 550 g

Técnicas: GA₃. Flor 0 – 0,3 ppm, anillado, Engorde:

GA₃ 2 x 7 ppm + CPPU 1-1,5 ppm



GrapeAttraction 2014



Itumfour

Período recolección: Mediados de agosto – mediados diciembre

Diámetro bayas: 18 – 22 mm

Sabor: Neutro

Textura: Crujiente (17 - 20 N)

Productividad: Í.F. 1,2 – 1,5, Racimos de 500 g

Técnicas: GA₃. Flor 0,6-1 ppm, anillado, Engorde: GA₃ 2 x 7 ppm + CPPU 1- 2 ppm. Emparejamiento: GA₃ 1 ppm. Cobertura con plástico para retrasar.



GrapeAttraction 2014



Itumfive

Período recolección: Mediados de agosto – mediados diciembre

Diámetro bayas: 18 – 23 mm

Sabor: Neutro

Textura: Muy crujiente (22 - 28 N)

Productividad: Í.F. 0,4 – 0,8, Racimos de 800 g

Técnicas: GA₃. Flor 0 -0,6 ppm, anillado, Engorde: GA₃ a bajo volumen (electrostática) 10-20 g/Ha + CPPU 2- 4 ppm. Emparejamiento: GA3 1 ppm. Cobertura con plástico para retrasar.



GrapeAttraction 2014



Itumsix

Período recolección: Mediados de agosto – mediados diciembre

Diámetro bayas: 18 – 21 mm

Sabor: Neutro

Textura: Crujiente (20 - 23 N)

Productividad: Í.F. 0,8 – 1 Racimos de 700 g

Técnicas: GA₃. Flor 1-2 ppm, anillado, Engorde: GA₃ 2 x 4 ppm + CPPU 1- 2 ppm.

Emparejamiento: GA3 1 ppm. Cobertura con



GrapeAttraction 2014



Itumeight

Período recolección: Primeros de agosto – mediados de octubre

Diámetro bayas: 18 – 22 mm

Sabor: Neutro – ácido

Textura: Muy crujiente (24 - 35 N)

Productividad: Í.F. 0,8 – 1,2 Racimos de 800 g

Técnicas: GA₃. Flor 0,4-0,7 ppm, anillado, Engorde: GA₃ 2 x 4 ppm. Color: S-ABA a 400 gr/Ha. Cobertura con plástico para retrasar.



GrapeAttraction 2014



Itumnine

Período recolección: Primeros de agosto – final de octubre

Diámetro bayas: 18 – 22 mm

Sabor: Neutro – ácido

Textura: Muy crujiente (22 - 30 N)

Productividad: Í.F. 0,8 – 1,2 Racimos de 800 g

Técnicas: GA₃. Flor 0,25-0,6 ppm, anillado, Engorde: GA₃ 2 x 4 ppm. Color: S-ABA a 400 gr/Ha. Cobertura con plástico para retrasar



GrapeAttraction 2014



Nueva línea: obtención de variedades resistentes a oidio y mildiu



G 07-150-242

(Felicia x Crimson S.)



G 07-150-179



G 07-152-65

(Gf.Ga-52-42 x Aut.Royal)



G 07-149-231

Gf.Ga-52-42xCrimson



United States Department of Agriculture
Agricultural Research Service



Scarlet Royal



Summer Royal




Sweet Scarlet



Autumn King



Sun World's Table Grapes



Sun World's Table Grapes 2012



SUPERIOR SEEDLESS™
A SEASONAL GREEN GRAPE BY SUN WORLD

Sugraone

'For more than three decades, the standard for early seedless table grapes'

Harvest: Early. -14 days **Thompson**. Harvest begins July 10 in Bakersfield, CA, mid-May in Coachella, CA).

Production: Consistent. Yields 19,000-25,000 Kg/ha packed fruit in California.

Cluster: Large, shatter resistant. Strong stem structure and berry attachment.

Berry: Large. 21-23mm, oval, crisp juicy white, seedless berries. Good uniformity and firmness. Small trace size.

Flavor: Crisp, mildly sweet flavor with low acidity. 16-17 Brix.

Post Harvest: Firm, with excellent storage and shipping qualities.

Vine: Vigorous, consistent and productive. Cane pruned.



COACHELLA SEEDLESS™
A PREMIUM GREEN GRAPE BY SUN WORLD

Sugratwelve

'The characteristics of Sugraone, but with a more elongated berry'

Harvest: Early. With Sugraone, -14 days **Thompson** (harvest begins July 10 in Bakersfield, CA, mid-May in Coachella, CA).

Production: Consistent. Yields 19,000-25,000 Kg/ha packed fruit in California.

Cluster: Large, shatter resistant. Strong stem structure and berry attachment.

Berry: Large. 22-23mm (6-8 gm), elongated white seedless berries. Good uniformity and firmness. Small trace size.

Flavor: Crisp, mildly sweet flavor. 16-17 brix with low acidity.

Post Harvest: Firm, with excellent storage and shipping qualities (9+ weeks).

Vine: Vigorous, consistent and productive. Cane pruned.



MIDNIGHT BEAUTY™
A SPECIAL BLACK SEEDLESS GRAPE BY SUN WORLD

Sugrathirteen

'An early ripening black seedless variety that is changing the industry standard'

Harvest: Early. With Sugraone, -11 days **Thompson**. Harvest begins July 13 in Bakersfield, CA, late May in Coachella, CA. Holds well on vine for extended harvest window.

Production: Consistent. Yields 18,000-30,000 Kg/ha packed fruit in California.

Cluster: Uniform loose large conical clusters (650g) with 85-95 berries. Excellent stem structure and attachment.

Berry: Large. 21-24mm elongated black seedless berries. Good uniformity and firmness. Very small trace size.

Flavor: Crisp, sweet neutral flavor. 16-17 brix with low acidity.

Post Harvest: Firm with excellent storage and shipping qualities.

Vine: Vigorous, consistent and productive. Cane pruned.

Sun World's Table Grapes 201.



SABLE SEEDLESS®
AN EXCEPTIONAL BLACK GRAPES
BY SUN WORLD

Sugrasixteen

'Outstanding aromatic flavor, SABLE SEEDLESS® is a favorite of our customers'

Harvest: Mid-season. +7 days Thompson (harvest begins August 2 in Bakersfield, CA).

Production: Consistent and highly productive in California.

Cluster: Medium sized, 550g, with strong stem structure and fair berry attachment. Clusters can be somewhat compact

Berry: Medium-sized. oval black seedless berries, 19-20mm. Good uniformity and firmness. Small trace size.

Flavor: Sweet crisp-juicy texture with an appealing and unique fruity-tropical aroma. 18-20 brix with medium-low acidity.

Post Harvest: Firm, with good storage and shipping qualities.

Vine: Medium vigor, cane and spur fruitful.



SOPHIA SEEDLESS®
A SEEDLESS MUSCAT GRAPES
BY SUN WORLD

Sugraeighteen

'A seedless Italia type with outstanding Muscat aroma'

Harvest: Late mid-season. +28 days Sagraone, +14 days Thompson (initial harvest begins August 7 in Bakersfield, CA).

Production: Consistent and very productive in California.

Cluster: Large, Strong stem structure and berry attachment.

Berry: Large, 23-25mm (8-8 gm), round, white, seedless Italia muscat type berries. Medium firm. Very uniform.

Flavor: Crisp, very sweet, with a pronounced muscat aroma. Averages 18 brix.

Post Harvest: Firm, Medium storage and shipping qualities due to thin skin.

Vine: Vigorous and spur fruitful. Consistently matures huge crops.



AUTUMN CRISP®
AN EXTRAORDINARY TABLE GRAPE
By Sun World

Sugrathirtyfive

'The Winner! The late white that beats all others in flavor panels'

Harvest: Late, +42 days Thompson. Harvest begins early September and can continue into first week of October in California.

Production: Consistent and productive on canes with medium vigor.

Cluster: Attractive large, 800g and grower-friendly. Strong stem structure and berry attachment. No tipping or gib thinning required


Berry: Naturally large, 24-26mm, oval white seedless berries. Good firmness and uniformity. Med-small trace size.

Flavor: Very crisp-juicy texture with mild Muscat aroma when ripe. 18-20 brix. Beat all other late whites in independent flavor panels.

Post Harvest: Firm, with good storage results in California. Excellent stem structure and shelf-life.

Vine: Grower-friendly vine with medium vigor, cane-pruned, no cluster manipulation, no gib needed for thinning, little or no gib needed for size.

Sun World's Table Grapes 201:



Sugranineteen

'Productive and easy to grow, with good color even in the heat of late summer'

Harvest: Fall season, with Crimson. **+63 days Thompson.** Harvest begins late September continues throughout October in California.

Production: Consistent and productive on spurs or canes.

Cluster: Uniform large clusters (1000g) with about 100 berries. May become compact if berry size too large.

Berry: Large. 23-24mm (15/16"), oval red seedless berries with excellent color development.

Flavor: Sweet juicy with neutral flavor. 18-20 brix with low acidity.

Post Harvest: Firm, with excellent attachment even after prolonged storage.

Vine: Medium-high vigor, spur or cane productive. Good fertility. Natural color; no Ethrel or curtural practices required



Sugrathirtyfour

'Naturally giant size in the Fall Season with practically no seed trace'

Harvest: Fall Season. **+63 days Thompson and +77 days Sugrathirteen.** Harvest starts late September and continues throughout October in California.

Production: Good production with proper canopy management.

Cluster: Medium-sized (550g) with strong berry attachment.

Berry: Grower-friendly, naturally giant-sized. 25-32mm, oval black seedless berries with no sizing Gib required. Practically no seed trace. No Ethrel required for color.

Flavor: Mildly-sweet (18-20 brix) with low acidity and neutral flavor. Crisp-juicy texture.

Post Harvest: Firm, excellent storage and shipping qualities results in California and in South Africa.

Vine: Excessively vigorous vine, cane-pruned. Good canopy management needed during season to maintain light in canopy.

SONERA SEEDLESS® Brand Red Grapes



SONERA SEEDLESS® brand red grapes are juicy, sweet and full of flavor and nutritional value. You're sure to love the crunchy texture and burst of sweet flavor you experience with these beautiful, bright red seedless grapes. Available May through August, SONERA SEEDLESS® brand red grapes begin their California harvest just in time for summer. Freeze them for a sweet and simple treat on a warm day or pack them to go on your next summer adventure.

- Extra-large berry size
- Sweet flavor with a crisp, juicy texture
- Available just in time for summer
- Enjoy as a healthy, sweet frozen treat

ADORA SEEDLESS® Brand Black Grapes



Sun World's exceptional ADORA SEEDLESS® brand black grapes are unlike any other. These seedless black grapes are sure to “wow” you with their impressive size and bold appearance. As one of our late-season favorites, they are the perfect snack for seasonal get-togethers. ADORA SEEDLESS® brand grapes' deep color makes them a wonderful addition to fresh, green salads, and their superbly sweet flavor paired with fresh whipped cream makes for an incredibly tasty and simple low-calorie dessert. And with only 90 calories per 1 ½ cup serving, and super sweet flavor, it is a grape to be adored by all.

- Supremely large and seedless
- Superbly sweet flavor
- Pair with whipped cream for a low-calorie dessert
- A delectably healthy fall treat



Special New Fruit Licensing Ltd

[Home](#)[Objectives](#)[Breeding Programs](#)[Table Grape Varieties](#)[News & Events](#)[Contact Us](#)

Table Grape Varieties

Please select a category from below:

White
Seedless

Red
Seedless

Black
Seedless

Seeded* &
Seedless
Speciality

* = Seeded Variety



Week 0 = Start of Thompson Seedless harvest

Harvest Weeks	-4	-3	-2	-1	0	+1	+2	+3	+4	+5	+6	+7
GRAPEVIT 5 (05-58)	X	X	X									
SHEEGENE 21 (10-552)		X	X	X								
SHEEGENE 9 (Melanie)			X	X	X	X						
SHEEGENE 2 (Timpson)				X	X	X	X					
SHEEGENE 11 (Katieco)					X	X	X					
GRAPEVIT 1 (05/44)						X	X	X	X			
SHEEGENE 18 (Kelly)							X	X	X	X		
SHEEGENE 17 (Great Green)								X	X	X	X	
SHEEGENE 4 (Luisco)									X	X	X	X

Sheegene 2 "Timpson"

Spur Prune - Medium Vigour - High Productivity

Named in honour of breeder Tim Sheehan, Timpsons ripens 1 week before Thompson.

This is a superb mid-season variety, with a hint of muscat flavour.



Please click on an image below to enlarge:



Shee gene 4 "Luisco"

Spur Prune - Medium Vigour - High Productivity

This late-season variety is now widely planted in California.

Heavy crops, large bunches and large uniform berries.

4-7 Week later than Thompson.



Please click on an image below to enlarge:



[illegible]

Week 0 = Start of Thompson Seedless harvest

[illegible]

Sheegene 3 "Magenta"

Spur Prune - Medium/High Vigour - High Productivity - No Ethrel

Magenta is one of our most sought-after varieties and is now widely planted in Spain and Peru. 10 Days later than Ralli Seedless, it produces large berries with a striking 'magenta pink' colour. The Flavour is also unique being reminiscent of cherries.



Please click on an image below to enlarge:



Sheegene 13 "Timco"

Spur Prune - Medium Vigour - High Productivity

Another great variety named in honour of breeder Tim Sheehan.

Timco ripens just before Crimson and produces large crops of big, uniform berries with a great flavour.



Please click on an image below to enlarge:



Sheeogene 20 "Allison"

Spur Prune - Medium Vigour - Very High Productivity - No Ethrel

This late-season red seedless ripens some 2 weeks after Crimson, allowing growers to extend their season with a highly productive, large fruited, crisp texture grape, which also has great flavour.



Please click on an image below to enlarge:



Blagratwo "Melody"

Half cane Prine - High Vigour - High Productivity - No Ethrel

This is a superb black seedless which ripens just before Autumn Royal.

Full colour is achieved naturally with no need for ethrel.

Heavy cropper with large, fully flavoured berries and crisp texture.



Please click on an image below to enlarge:



Strawgrape "GA1-4"

Half-Cane Prune - Medium/High Vigour - High Productivity - No Ethrel

A delightfully different grape - more like a berry.

Strawgrape produces heavy crops of small fruit on a small to medium bunches.

Fruit is deep red, with a beautiful bloom, and an exquisite strawberry flavour.



Please click on an image below to enlarge:





SNFL has offices in the UK, Spain, South Africa and Chile

SNFL Ltd United Kingdom

Duncan Macintyre - Managing Director
Telephone: +44 7967 829 878
Email: duncan.macintyre@snfl.co.uk

SNFL Univiveros LTDA Chile

Ignacio Letemendi - General Manager
Telephone: +56 997 399 329
Email: iletamendi@snfluniviveros.cl

SNFL Mediterraneo S.L. Spain

Josep Jove Estiarte - General Manager
Telephone: +34 646 656 541
Email: josep.estiarte@snfl.co.uk

Alba Solani - Office Manager
Telephone: +34 973 203 737
Email: alba.solani@snfl.co.uk

SNFL South Africa PTY South Africa

Wian Mouton - Technical Manager
Telephone: +27 72 906 5119
Email: wian@snfl.co.za

Barbara Botes - Business Manager
Telephone: +27 845 889 086
Email: barbara@snfl.co.za



Premium Fruit Varieties for a Global Market

Trademark Name	Cultivar Name
Sweet Surrender®	IFG 31-077
Sweet Sunshine®	IFG 104-253
Sweet Celebration®	IFG 68-175
Sweet Romance®	IFG Four
Sweet Jubilee®	IFG Five
Sweet Sapphire®	IFG Six
Cotton Candy®	IFG Seven
Sweet Enchantment®	IFG Eight
Jack's Salute®	IFG Nine
Sweet Globe®	IFG Ten
Sugar Crisp®	IFG Eleven
Funny Fingers®	IFG Twelve
Sweet Mayabelle®	IFG Fourteen



Sweet Surrender®

- Elongated very early ripening black seedless
- Medium bunches
- Good productivity
- Very rigorous; requires canopy management for fruitfulness
- Firm with outstanding flavor at 19-21 Brix
- Extremely easy to color
- Excellent market reception in US and UK





Sweet Sunshine®

- Elongated mid-season white seedless; ripens with Thompson seedless
- Highly productive and medium bunches
- Very crispy
- Refreshing flavor
- Berries are naturally large size (7-8 gm.)
- Very easy to grow
- Can be spur pruned; requires no tipping and needs very little or no gib
- Excellent market reception

[View Variety Card](#)





Sweet Celebration®

- Oval shaped mid-late brilliant red seedless
- Highly productive and medium bunches
- Very crispy
- Wonderful flavor
- Berries are naturally large size (25 mm with GA and girdle)
- Very easy to grow; colors well in shade
- High yield and moderate production cost
- Fruit quality is excellent
- Excellent market reception





Cotton Candy®

- Mid-season white to amber
- Unique "Toffee/Caramel" Flavor
- Maintains flavor in storage for a long period
- Yields very well
- Excellent reception in the US and UK

[View Variety Card](#)





Jack's Salute®

- Elongated to slight oval mid to late red seedless
- Average productivity and medium bunches
- Good natural berry size with no treatments 23 x 30 mm
- Firm to *crispy*, good flavor
- Best treatment is little or no treatment
- Single sizing of 10 ppm and nothing else looked good
- Treatments caused greater sunburn and poorer coloring
- Very easy to grow

[View Variety Card](#)





Sweet Globe®

- Mid-season green seedless green Red Globe type
- Very crunchy
- Good flavor – low acidity
- Excellent storage results; 90 days looks very good
- Naturally large round to oval berry, 7 gr. natural
- Thin skin
- High productivity
- Does not bruise in cold storage
- Stems hold very well in storage
- Little hand work required

[View Variety Card](#)





Ralli Seedless Emerald Leaf



EXPORTADORAS LICENCIADA : SUBSOLE
VIVEROS LICENCIADOS: ALTO ELQUI , NUEVA VID ,SAN VICENTE



RALLI SEEDLESS

ROJA SEEDLESS TEMPRANA

FECHA FLAME

MUTACIÓN DE SUPERIOR (AUSTRALIA-JOE
RALLI)

RESISTENCIA A PARTIDURAS


BUENA VIDA POSTCOSECHA

BAYA CROCANTE (22-24 mm) DE COLOR
ROJO ENCENDIDO

PRESENTA DIFICULTAD PARA TOMAR COLOR
EN ZONAS CÁLIDAS




VARIEDADES BLANCAS




Fuente: Dragomir Ljubetic M.

VARIEDADES NEGRAS



Fuente: Dragomir Ljubetic M.

VARIEDADES ROJAS



CUADRO RESUMEN DE LAS CARACTERISTICAS DE LOS PRINCIPALES PORTAINJERTOS

RESISTENCIA A :(1)							EFECTO	
		CALIZA					VIGOR	MADURACIÓN
PATRÓN	NEMATODOS	ACTIVA (%)	SEQUIA	HUMEDAD	COMPACIDAD	SALINIDAD	(2)	(3)
RUPESTRIS	1	14	2	1	3	2	3	R
99R	3	17	2	1	3	1	3	R
140Ru		20	3	1	2	2	2	R
110R	1	17	3	2	3	1	3	R
1103-P	2	17	3	2	3	3	3	R
41B	1	40	2	1	3	1	1	R
RIPARIA G.		6	1	3	1		0-1	A
161-49C	1	25	1	2	2	1	1	A
SO4	3	17	1	2	2	1	2	A
5 BBT	3	20	1	2	2	1	2	
420 A	1	20	2	2	2	1	1	A
33 EM	1	40	2	2	3	1	2	
FERCAL	1	45	2	2		2	2	

(1) 3 Nivel mas favorable
 2 Nivel medio
 1 Nivel desfavorable
 0 Nivel muy desfavorable

(2) 0 Débil
 1 Medio
 2 Vigoroso
 3 Muy vigoroso

(3) R retrasa
 A adelanta